

AMENDED CLAIMS

**[Received by the International Bureau on 01 March 2005 (01.03.05);
original claims 1-5 replaced by amended claims 1-4 (1 page)]**

CLAIM

What is claimed is:

1. A preparation method for a solid titanium catalyst for olefin polymerization, which comprises the steps of: (1) preparing a magnesium compound solution by dissolving a magnesium halide compound into a mixed solvent of a cyclic ether and one or more of alcohol; (2) preparing a carrier by, adding a mixture of titanium compound having a general formula of $\text{Ti}(\text{OR})_a\text{X}_{(4-a)}$, in which R is an alkyl group having 1-10 carbon atoms, X is a halogen atom and a is an integer of 0-4, and halogenated hydrocarbon with the molar ratio of the halogenated hydrocarbon : the titanium compound being 1:0.05-1: 0.95, to the magnesium compound solution at -70 - 70°C and then elevating the temperature for reaction; and (3) preparing a solid titanium catalyst by reacting the carrier with a titanium compound and an electron donor.

2. The preparation method for a solid titanium catalyst for olefin polymerization according to claim 1, characterized in that the cyclic ether used in the step (1) is tetrahydrofuran or 2-methyltetrahydrofuran, and the one or more of alcohol used in the step (1) is primary or polyhydric alcohol having 2-12 carbon atoms.

3. The preparation method for a solid titanium catalyst for olefin polymerization according to claim 1 or 2, characterized in that the molar ratio of the cyclic ether : the one or more of alcohol used in the step (1), is 1:0.1~1:10.

4. The preparation method for a solid titanium catalyst for olefin polymerization according to claim 1, characterized in that the halogenated hydrocarbon used in the step (2) is a halogenated hydrocarbon having 1-20 carbon atoms containing at least one halogen.